POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
T 0000 B		Per
Total 2003 Population 16, 300	Community Options and MA Waiver	10,000
Population per square mile 26	as HSRS reports costs for services	Staffing - FTE Number Population
County ranking in state (1-72) 56	Clients Costs	10tdl Std11
County ranking in state (1-72) 50	COP 6 \$87.777	Public health nurses 3.0 1.8
Age Female Male Total	COP 6 \$87,777 MA Wai ver *	Other prof staff 13 08
1 0 4 4 5 7 4 7 4 0 0 0 0 0 0	CI P1A 2 \$108, 166	Techni cal /Paraprof. 1.1 0.7
15-19 640 650 1.310	CI P1B 43 \$1, 018, 031	Total staff 8.4 5.1 Administrative 1.0 0.6 Public health nurses 3.0 1.8 Other prof. staff 1.3 0.8 Technical/Paraprof. 1.1 0.7 Support staff 2.0 1.2
20-24 480 530 1,000	CIP1A 2 \$108, 166 CIP1B 43 \$1,018,031 CIP2 9 \$125, 113 COP-W 33 \$265, 369 CSLA 0 \$0 Brain Injury 0 \$0 Total COP/Wvrs 93 \$1,516,679	
25-29 370 410 780	COP-W 33 \$265, 369	Fundi ng Per capi ta Total \$491, 227 \$30. 24 Local Taxes \$249, 442 \$15. 36
30-34 420 430 860 35-39 550 550 1,100	CSLA 0 \$0	Total \$491, 227 \$30. 24
	Brain Injury 0 \$0	Local Taxes \$249, 442 \$15. 36
40-44 710 680 1, 390 45-54 1, 170 1, 280 2, 450	10tal COP/WVrs 93 \$1,516,679	LLOENCED FOTADILICUMENTO
45-54 1, 170 1, 280 2, 450 55-64 780 790 1, 570	\$123,552 of the above waiver costs	LI CENSED ESTABLI SHMENTS
55-64 780 790 1,570 65-74 690 610 1,310	were paid as local match/overmatch	Type Capacity Facilities
75-84 520 390 910	using COP funds. This amount is	Red & Breakfast
85+ 260 100 360	not included in above COP costs.	Camps 624 8
Total 8, 160 8, 140 16, 300		Hotels, Motels 12 2
	* Waiver costs reported here	Type Capacity Facilities Bed & Breakfast 9 3 Camps 624 8 Hotels, Motels 12 2 Tourist Rooming 29 10
Age Female Male Total	include federal funding.	FUUIS U
0-17 1, 940 2, 080 4, 030		Restaurants 104
18-44 2, 800 2, 880 5, 690	Clients Costs	Vendi ng 0
45-64 1, 950 2, 070 4, 020 65+ 1, 470 1, 100 2, 580	Eligible and Waiting 26 n/a	
65+ 1, 470 1, 100 2, 580 Total 8, 160 8, 140 16, 300	waiting 26 n/a	
Total 8, 160 8, 140 16, 300	(Family Care not provided in county)	WIC PARTICIPANTS
Poverty Estimates for 2000	(railing care not provided in county)	WIC FARTICIFANTS
Fetimate (C I ±/_)		Number
All ages 1, 471 99	Note: Eligible and waiting clients	Pregnant/Postpartum 95
9. 1% (7%)	will be phased into the COP and MA	Infants 93
Ages 0-17 549 52	Waivers as available.	Children, age 1-4 150
All ages 1, 471 99 9. 1% (7%) Ages 0-17 549 52 12. 5% (9%)		Total 338
		OANOED INCLUENCE (OOOO)
Average wage for integrated	Home Heal th Agencies	CANCER INCIDENCE (2002)
Average wage for jobs covered by unemployment compensation \$23,397	Home Health Agencies 1 Patients 181	Primary Site Breast 12
(place of work)	Patients per 10,000 pop.	Cervi cal 0
Annual	Ταττεπτό ρει 10,000 μορ.	Col orectal 13
Labor Force Estimates Average	Nursing Homes 1	Lung and Bronchus 17
	Li censed beds 97	Prostate 5
Civilian Labor Force 9,480	Occupancy rate 90.9%	Other sites 32
Number employed 9,004	Residents on Dec. 31 91	Total 79
Civilian Labor Force 9,480 Number employed 9,004 Number unemployed 476 Unemployment rate 5.0%	Residents age 65 or older	, , , , , , , , , , , , , , , , , , ,
Unemployment rate 5.0%	per 1,000 population 33	Note: Totals shown are for
	 	i nvasi ve cancers onl y.

			NATA	IIIY				
TOTAL LIVE BIRTHS		173	Birth Order	Births	Percent	Marital Status		
TOTAL ETTE BITTING		170	First	55	32	of Mother	Bi rths	Percent
Crude Live Birth Rate	7	10. 6	Second	59	34	Marri ed	131	76
General Fertility Rat		54. 5	Thi rd	32	18	Not married	42	24
deneral refullity hat	. C	54. 5	Fourth or higher		16	Unknown	0	0
Live births with repo	retod		Unknown	0	0	UTIKITOWIT	U	U
		0 0.0%	UTIKTIOWIT	U	U	Education		
congenital anomalies		0 0.0%				Education of Mother	D: m+ho	Donoont
Dolivery Turns	D: m+ha	Damaant	1at Desertal Visit	D: mtha	Donoont		Bi rths	Percent
Delivery Type	BITTINS	Percent	1st Prenatal Visit		Percent	Elementary or le		5
Vagi nal after	•	4	1st trimester	139	80	Some high school	17	10
_previ ous cesarean	2 2	1	2nd trimester	21	12	High school	49	28
Forceps	2	1 73 14	3rd trimester	10	6	Some college	52	30
Other vagi nal	126	73	No visits	0	0	College graduate	46	27
Primary česarean	25	14	Unknown	3	2	Unknown	1	1
Repeat cesarean	18	10						
			Prenatal Visits	Bi rths	Percent	Smoking Status		
Birthweight	Bi rths 0 7 165	Percent	No visits	0	0	of Motȟer	Bi rths	Percent
<1,500 gm	0	0. 0	1-4	12	7	Smoker	21	12
1,500-2,499 gm	7	4. 0	5-9	42	24	Nonsmoker	152	88
2, 500+ gm	165	95. 4	10-12	64	37	Unknown	0	0
Unknown	1	0	13+	55	32		· ·	· ·
	•	Ü	Unknown	0	0			
			Low Birthweight		Tri mest	ter of First Prenata	ıl Visit	
			Low Birthweight (under 2 500 am)	1st Tr	Trimest imester	ter of First Prenata 2nd Trimester	l Visit Other∕	(Unknown
Race/Ethnicity	Rirths F	Percent	(under 2,500 gm)	1st Tr Rirths	imester	2nd Trimester	Other/	'Unknown Percent
Race/Ethni ci ty	Births F	Percent 97	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	168	97	(under 2,500 gm)	1st Tr Births 136	imester	2nd Trimester	Other/	
White Black/Afr. American	168 0	97 0	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	168 0 2	97 0 1	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no	168 0 2 3	97 0 1 2	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	168 0 2 3 0	97 0 1 2 0	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no	168 0 2 3	97 0 1 2	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	168 0 2 3 0	97 0 1 2 0	(under 2,500 gm) Births Percent 7 4.2 * *	Bi rths	i mester Percent 81	2nd Trimester Births Percent 19 11	Other/ Bi rths 13 * *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	168 0 2 3 0 0	97 0 1 2 0 0	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight	Bi rths 136 *	imester Percent 81	2nd Trimester Births Percent 19 11	Other/ Births 13 * *	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	168 0 2 3 0 0	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 tow Birthweight (under 2,500 gm)	Births 136 * *	imester Percent 81 Trimest	2nd Trimester Births Percent 19 11	Other/ Births 13 * *	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	168 0 2 3 0 0 Fe Births	97 0 1 2 0 0 ertility Rate	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight	Births 136 * *	imester Percent 81	2nd Trimester Births Percent 19 11	Other/ Births 13 * *	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	168 0 2 3 0 0 	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 tow Birthweight (under 2,500 gm)	Births 136 * *	imester Percent 81 Trimest	2nd Trimester Births Percent 19 11	Other/ Births 13 * *	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	168 0 2 3 0 0 	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 tow Birthweight (under 2,500 gm)	Births 136	imester Percent 81 Trimest	2nd Trimester Births Percent 19 11	Other/ Births 13 * *	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	168 0 2 3 0 0 	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent	Bi rths 136	imester Percent 81	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/ Bi rths 13	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	168 0 2 3 0 0 	97 0 1 2 0 0 ertility Rate 11 15 101	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent 3 6.3	8i rths 136	imester Percent 81	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/ Births 13 * *	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	168 0 2 3 0 0 	97 0 1 2 0 0 ertility Rate 11 15 101 161	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent 3 6.3 3 5.0	8i rths 136	imester Percent 81	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/ Bi rths 13	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	168 0 2 3 0 0 	97 0 1 2 0 0 ertility Rate 11 15 101 161 86	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent 3 6.3	8i rths 136	imester Percent 81	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/Births 13 I Visit Other/Births 6 1	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	168 0 2 3 0 0 	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent 3 6.3 3 5.0	8i rths 136	imester Percent 81	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/ Bi rths 13	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	168 0 2 3 0 0 	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent 3 6.3 3 5.0	8i rths 136	imester Percent 81	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/Births 13 I Visit Other/Births 6 1	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	168 0 2 3 0 0 	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent 3 6.3 3 5.0	8i rths 136	imester Percent 81	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/Births 13 I Visit Other/Births 6 1	Percent 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	168 0 2 3 0 0 	97 0 1 2 0 0 	(under 2,500 gm) Births Percent 7 4.2 Low Birthweight (under 2,500 gm) Births Percent 3 6.3 3 5.0 1 2.8	Bi rths 136 1st Tr Bi rths 37 55 29 13 	imester Percent 81 Trimest imester Percent 77 92 81 68	2nd Trimester Births Percent 19 11 * * * * * * * * * * * * * * * * * *	Other/Births 13	Percent 8

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates (neonatal, and Perinatal and fetal deaths.	(except ir d postneor d fetal de	nfant) are p natal death eath rates a	Infant, ve births. hs plus		
Di sease	TOTAL DEATHS	Deaths 2 1 11 10 22 54 56	156 957 Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disea Cancer (total) Trachea/Bronchus/Lun Colorectal Female Breast Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes	se 30 45 g 8 8 4 se 9 10 5 2 2	Rate 245 184 276
Shi gellosis <5 Tuberculosis 0 * 2003 provisional data. ** Includes all positive HBsAg test results.	Infant		Rate · ·	Infect./Parasitic Dis Suicide * Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	3 ul ati on. E AS UNDERLY	
Sexually Transmitted Disease Chlamydia Trachomatis 14 Genital Herpes <5 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	: : : :		Al cohol Other Drugs Both Mentioned * Includes tobacco us MOTOR VEHIC Note: These data are	e (see page LE CRASHES -	7).
Children in Grades K-12 by Compliance Level Compliant 2,819 Non-compliant 7 Percent Compliant 99.8	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal	Deaths	Rate	of crash, not Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on residence Persons Pe Injured K 176 28	rsons

		1 61	Average		Charge			L CI	Average		Charge
DI SEASE /		1,000	Staÿ	Average	Per	DI SEASE /		1,000	Staÿ	Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
I nj ury-Rel ated:	: All					Al cohol -Rel ated					
Total	125	7. 7	4. 7	\$18, 481	\$142	Total	16				
<18	11					18-44	9				
18-44	37	6. 5	5. 9	\$22, 064	\$144	45-64	7				
45-64	27	6. 7	4. 4	\$23, 012	\$155	Pneumonia and I	nfl uenza				
65+	50	19. 4	4. 0	\$14, 114	\$274	Total	70	4. 3	3. 2	\$6, 993	\$30
Injury: Hip I	Fracture					<18	6				
Total	16					45-64	17			•	
65+	14					65+	43	16. 7	3. 7	\$7, 241	\$121
Injury: Poiso	oni ngs					Cerebrovascul ar	Di sease				
Total	³ 11					Total	49	3. 0	3. 3	\$11, 379	\$34
18-44	6					45-64	8			•	
						65+	39	15. 2	2. 6	\$7, 589	\$115
Psychi atri c						Chronic Obstruc			i sease		
Ťotal	83	5. 1	5. 2	\$6, 375	\$32	Total	27	1. 7	3. 3	\$7, 874	\$13
<18	21	5. 2	5.8	\$6, 810	\$35	<18	4				
18-44	38	6. 7	4. 5	\$5, 140	\$34	18-44	3				
45-64	11					45-64	4				
65+	13					65+	16				
						Drug-Rel ated					
Coronary Heart						Total	1				
Total	97	6. 0	4. 1		\$160	18-44	0				
45-64	31	7. 7			\$225						
65+	60	23. 3	4. 4	\$26, 828	\$626	To <u>t</u> al Hospitali	zations	100 1		*10.000	** ***
		,				Total		100. 1		\$10, 292	\$1,030
Malignant Neop			ALL	444 (70	4/4	<18	234	58. 1	3. 1	\$5, 491	\$319
Total	68	4. 2		\$14, 672	\$61	18-44	397	69. 9	3. 4	\$8, 938	\$624
18-44	4	•				45-64	313	77. 9	3. 4	\$12, 694	\$989
45-64	13 50	10 4	1 C	¢14 000	¢274	65+	688	267. 6	3. 7	\$11, 613	\$3, 107
65+		19.4	4. ŏ	\$14,089	\$274	 PR	EVENTADI E	посы т		ONC*	
Neoplasms: Fo	eniare brea 7	•			ipui ati on)		EVENTABLE 254		2. 9		¢100
Neoplasms: Co			•	•	•	Total <18	254 24	15. 6 6. 0	2. 9 1. 4	\$6, 917 \$2, 974	\$108 \$18
Total	oro-rectai 14	l				<18 18-44	24 35	6. 0	1. 4 2. 8	\$2, 974 \$7, 542	\$18 \$46
10tai 65+	14 13	•	•	•	•	18-44 45-64	35 42	6. 2 10. 5	2. 8 2. 6	\$7, 542 \$5, 392	\$46 \$56
Neoplasms: Li		•	•	•	•	45-64 65+	42 153	59. 5	2. b 3. 3	\$5, 392 \$7, 812	\$56 \$465
Total	3					00+	100	39. 3	ა. ა	\$1,012	\$400
Di abetes						 * Hospitalizations	for cond	itions	where t	imely and	effecti
Total	19					ambulatory care ca	n reduce	the lik	el i hood	of hospi	tal i zati
65+	9										